

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	144	(706/48).CCLS.	USPAT; USOCR	OR	OFF	2007/06/28 12:10

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	ontology directed classifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:38
L2	0	ontology (directed or based) classifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:39
L3	0	ontology (directed or based or driven) classifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:39
L4	6	ontology near3 classifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:39
S1	16277	(world wide web or web or intelligent or software or data mining or classifying) near3 agent	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:23
S2	2179	ontology	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/28 11:37
S3	289	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:01

## EAST Search History

S4	0	pattern expression discovery algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:03
S5	0	pattern expression near3 discovery algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:02
S6	0	pattern near3 expression near3 discovery algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:02
S7	0	pattern near3 expression near3 discovery near3 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:02
S8	9	pattern with expression with discovery with algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:02
S9	0	pattern expression discovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:03
S10	121	pattern near3 expression near3 discovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:04

## EAST Search History

S11	125	S8 or S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:04
S12	0	S3 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:04
S13	133	(world wide web or web) near3 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:07
S14	188	(world wide web or web) near5 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:07
S15	743	(world wide web or web) with data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:08
S16	748	S13 or S14 or S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:08
S17	172	text near3 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:08

## EAST Search History

S18	5	xml near3 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:09
S19	13	xml near5 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:09
S20	89	xml with data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:09
S21	89	S18 or S19 or S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:09
S22	533	(semi-structured or semistructured) (information or text or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:11
S23	9071	data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:11
S24	11	S22 with S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:11

## EAST Search History

S25	1202	(world wide web or web or intelligent or software or data mining or classifying) near3 agent near5 (tool set or construct\$3 or build\$3 or manag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:16
S26	1427	restructur\$3 near3 (information or data or text or pages)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:17
S27	89	S23 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:18
S28	164	(world wide web or web or internet) near3 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:20
S29	229	(world wide web or web or internet) near5 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:21
S30	304	(world wide web or web or internet) near9 data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:21
S31	986	(world wide web or web or internet) with data mining	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:22

## EAST Search History

S32	992	S28 or S29 or S30 or S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 18:22
S33	122	S1 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:17
S34	74580	graphical (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:18
S35	0	(example driven or example-driven or example based or example-based) (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:19
S36	2	(example driven or example-driven or example based or example-based) near5 (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:20
S37	1	(user near3 examples) with (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:20
S38	5	(user with examples) with (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:21

## EAST Search History

S39	0	example input with (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:21
S40	0	example present\$5 with (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:22
S41	3	((input or user) near5 examples) with (user interface or user-interface or ui)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:23
S42	1812	data extractor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:34
S43	68	data isolator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/27 21:34



**Dialog DataStar**[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[easy search](#)**Advanced Search:**

Inspec - 1898 to date (INZZ)

[limit](#)

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	ontology ADJ directed ADJ classifier WITH (taxonomy NEAR tree NEAR classes NEAR subclasses) ADJ generated WITH ontology ADJ management ADJ system	unrestricted	0	-
2	INZZ	ontology ADJ directed ADJ classifier	unrestricted	0	-
3	INZZ	ontology NEAR directed NEAR classifier	unrestricted	0	-
4	INZZ	ontology NEAR classifier	unrestricted	9	<a href="#">show titles</a>

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping [whole document](#) Information added since:  or: [none](#) [search](#)☐ Images

Select special search terms from the following list(s):

- Publication year 1950-
- Publication year 1898-1949
- Inspec thesaurus - browse headings
- Inspec thesaurus - enter a term
- Classification codes A: Physics, 0-1
- Classification codes A: Physics, 2-3

**Dialog DataStar**[options](#)[logout](#)[feedback](#)[help](#)[databases](#)[search page](#)

## Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of the page. To view one particular document click the link above the title to display immediately.

[copy to Clipboard](#)

Documents 1 to 9 of 9 from your search "**ontology NEAR classifier**" in all the available information:  
Number of titles selected from other pages: 0

☐ **Select All**☐ 1 [display full document](#)

2006. (INZZ) Construction knowledge exchange: a case study of exploiting semantics for Web mining.

☐ 2 [display full document](#)

2006. (INZZ) Formalization of ontological relations of Korean numeral classifiers.

☐ 3 [display full document](#)

2006. (INZZ) **Ontology-based classifier** for audio scenes in telemedicine.

☐ 4 [display full document](#)

2006. (INZZ) Building Korean **classifier ontology** based on Korean WordNet.

☐ 5 [display full document](#)

2006. (INZZ) Extracting ontological relations of Korean numeral classifiers from semi-structured resources using NLP techniques.

☐ 6 [display full document](#)

2006. (INZZ) First steps to an audio **ontology-based classifier** for telemedicine.

☐ 7 [display full document](#)

2005. (INZZ) Building semantic digital libraries: automated **ontology** linking by associative naive Bayes **classifier**.

☐ 8 [display full document](#)

2005. (INZZ) Ontological approach for document classification in transport domain.

☐ 9 [display full document](#)

2003. (INZZ) Classifying Web pages using adaptive **ontology**.

Selection	Display Format	Output Format	ERA <sup>SM</sup> Electronic Redistribution & Archiving
<input checked="" type="radio"/> from this page <input type="radio"/> from all pages	<input checked="" type="radio"/> Full <input type="radio"/> Free <input type="radio"/> Short	<input checked="" type="radio"/> HTML <input type="radio"/> Tagged (for tables)	Copies you will redistribute: <input type="text"/> Employees who will access archived record (s): <input type="text"/> <a href="#">Help with ERA</a>

Web Images Video News Maps Gmail more ▾

[Sign in](#)

Google

ontology directed classifier

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about 366,000 for **ontology directed classifier**. (0.11 seconds)

### **XSB, Inc. - Ontology Directed Classifier**

**Ontology Directed Classifier** Features and Specifications. The **Ontology Directed Classifier (ODC)** is an interactive tool that enables the autonomous ...

[www.xsb.com/technology\\_odc.aspx](http://www.xsb.com/technology_odc.aspx) - 18k - [Cached](#) - [Similar pages](#)

#### XSB, Inc. - Data Classification

XSB's automated **Ontology Directed Classifier (ODC)** tool, is designed to ... For technical specifications for the **Ontology Directed Classifier**, click here. ...

[www.xsb.com/solutions\\_dataClassification.aspx](http://www.xsb.com/solutions_dataClassification.aspx) - 16k - [Cached](#) - [Similar pages](#)

[ [More results from www.xsb.com](#) ]

### **Ontology Is Overrated: Social advantages in tagging. Many-to-Many:**

**Ontology-directed** classification, then, is the happy middle ground... [Permalink to Comment](#)

· 2. Frank Ruscica on May 16, 2005 2:17 PM writes. ...

[many.corante.com/archives/2005/05/16/](http://many.corante.com/archives/2005/05/16/)

[ontology\\_is\\_overrated\\_social\\_advantages\\_in\\_tagging.php](#) - 39k - [Cached](#) - [Similar pages](#)

#### Technorati tags: Take 2. Many-to-Many:

So now there is a need for **ontology-directed** classification. Here is one:.

[http://www.xsb.com/tech\\_odc.html](http://www.xsb.com/tech_odc.html). [Permalink to Comment](#) ...

[many.corante.com/archives/2005/01/14/technorati\\_tags\\_take\\_2.php](http://many.corante.com/archives/2005/01/14/technorati_tags_take_2.php) - 31k -

[Cached](#) - [Similar pages](#)

### **Table 1. Ontology editor survey results**

Automatic **ontology directed** classification and semantic annotation of heterogeneous content. ... Verify the specification via DL **classifier** (FaCT). ...

[www.xml.com/2002/11/06/Ontology\\_Editor\\_Survey.html](http://www.xml.com/2002/11/06/Ontology_Editor_Survey.html) - 212k - [Cached](#) - [Similar pages](#)

### **Method and apparatus for ontology-based classification of media ...**

More specifically, the present invention is **directed** to an improved data processing system in which media content is classified using an **ontology-based** ...

[www.freepatentsonline.com/20060031217.html](http://www.freepatentsonline.com/20060031217.html) - 75k - [Cached](#) - [Similar pages](#)

### **The KEYNET Model**

The vertices of the **directed** graph are copies of vertices of the **ontology**. There can be several copies in a keynet of one vertex in the **ontology**. ...

[www.ccs.neu.edu/home/kenb/key/unified/section3\\_3.html](http://www.ccs.neu.edu/home/kenb/key/unified/section3_3.html) - 12k - [Cached](#) - [Similar pages](#)

### **Welcome To The United Nations Standard Products & Services Code ...**

The XSB **Ontology Directed Classifier** tool (ODC) automates the process of data classification to a target taxonomy which greatly improves data quality across ...

[www.unspsc.org/unspsc\\_resources.asp](http://www.unspsc.org/unspsc_resources.asp) - 38k - [Cached](#) - [Similar pages](#)

### **(PDF) Autonomous Classification of Knowledge into an Ontology**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**classifier** that considers each node as an independent. category (Mitchell 1998). ...

microtheory **ontology** is a **directed** graph, rather than a tree; ...

[www.cyc.com/doc/white\\_papers/FLAIRS07-AutoClassificationIntoAnOntology.pdf](http://www.cyc.com/doc/white_papers/FLAIRS07-AutoClassificationIntoAnOntology.pdf) -

[Similar pages](#)